

# VM-FHD22PF

SKU: 234196



22" (56cm) LCD Monitor, FHD, 1920x1080, LED, DP, HDMI, VGA, Frameless, Plastic

## Main Features

Professional 22"(56 cm) LCD monitor

Maximum resolution Full HD 1920x1080 pixels

Different video inputs HDMI, DisplayPort, VGA

LED Back Light

High contrast ratio

Fast response times

Easy operation via navigation joystick

Built to run 24x7x365 continuously

Plastic cabinet including stand

## Specifications

Series	eneo Monitor
Video:	
Resolution	1920x1080, 1280x1024, 1024x768, 800x600, 720x400, 640x480
Display:	
Display element	Colour TFT/LCD, Anti-Glare-Display, Hard coating (3H), Haze :25%
Screen size (inch)	21.45
Screen size (cm)	54.48 cm
Aspect ratio	16:9
Backlighting	LED
Resolution Pixels	1920x1080
Contrast ratio typical	3000:1

# VM-FHD22PF

## Continuation of the specifications


Reponse time typical	6.5 ms
Refreh rate	60 Hz,70 Hz,75 Hz
Brightness typical	200 cd/m <sup>2</sup>
Viewing angle vertical	178°
Viewing angle horizontal	178°
Pixel format	0.0831mm x 0.241mm
Pixel fault class	ISO 13406-2, Class II
Video standard	PAL
Functions:	
Comb filter	3D comb filter with de-interlace
Menu languages	English,German,Italian,Spanish,French,Chinese
Interfaces / Inputs/ Outputs:	
Video inputs (type)	DisplayPort,HDMI,1x VGA
Video outputs	no
Audio inputs	no
Serial interfaces	no
General:	
Dimensions (HxWxD)	492,3x281,2x41,9mm
Weight	3 kg
Mount	VESA standard 75x75mm
Hosuing material	Plastic
Housing color	black
Power consumption	25W
Supply voltage	12VDC (+/-10%)
Operating temperature	0°C ~ +40°C
Parts supplied:	
Parts supplied	manual,Power supply unit 100 ~ 240VAC / 12VDC, 50/60Hz,power cord,feet,HDMI cable

## Optional Accessory

SKU	Name	Description
224229	VM-LCDWMB2	Wall bracket for LCD monitors horizontal adjustable, support up to max. 8 kg
228560	VM-TSHA	Monitor stand high adjustable up to 130mm, for LCD-Monitors, 15-27 Inch, maximum 10Kg

# VM-FHD22PF

## Technical Drawing



Maße / Dimensions: mm

