

# VM-FHD24M

SKU: 234197



24" (61cm) LCD Monitor, FHD, 1920x1080, LED, HDMI, VGA, BNC, USB, Metal Housing

## Main Features

Professional 24"(61 cm) LCD industrial monitor

Maximum resolution Full HD 1920x1080 pixels

Different video inputs HDMI, VGA, BNC

LED Back Light

Support 3D comb filter and 3D de-interlace

Multilingual menu navigation (OSD)

Built-in speakers

Built to run 24x7x365 continuously

Metal housing including wall mount

## Specifications

Series	eneo Monitor
Resolution	1920x1080 (16:9), 1280x1024, 1024x768, 800x600, 640x480, 720x400
Display element	Colour TFT/LCD, Haze :25%, Hard coating (3H)
Screen size (inch)	23.8
Screen size (cm)	60,5 cm
Aspect ratio	16:9
Backlighting	LED
Resolution Pixels	1920x1080
Contrast ratio typical	1000:1
Response time typical	8 ms
Refresh rate	60 Hz
Brightness typical	250 cd/m <sup>2</sup>

# VM-FHD24M

## Continuation of the specifications


Viewing angle vertical	178°
Viewing angle horizontal	178°
Pixel format	0.0831mm x 0.241mm
Pixel fault class	ISO 13406-2, Class II
Video standard	PAL
Comb filter	3D comb filter with de-interlace
Menu languages	English, German, Italian, Spanish, French, Chinese
Video inputs (type)	HDMI, 1x VGA, BNC
Video outputs	no
Audio inputs	1, 1x 3.5mm jack
Audio output	no
Serial interfaces	no
Dimensions (HxWxD)	527,04x296,46mm
Weight	4.5 kg
Mount	VESA standard 100x100mm
Housing material	Metal
Housing color	black
Loudspeaker	2
Power consumption	40W
Supply voltage	100 ~ 240VAC
Operating temperature	0°C ~ +40°C
Parts supplied	manual, power cord, wall bracket, HDMI cable, remote control

## Optional Accessory

SKU	Name	Description
224229	VM-LCDWMB2	Wall bracket for LCD monitors horizontal adjustable, support up to max. 8 kg
228560	VM-TSHA	Monitor stand high adjustable up to 130mm, for LCD-Monitors, 15-27 Inch, maximum 10Kg

# VM-FHD24M

## Technical Drawing



Maße / Dimensions: mm

